

THE ENTOMOLOGIST'S MONTHLY MAGAZINE

World List Abbreviation, 4th ed. (1963): *Entomologist's mon. Mag.*

EDITED BY

Prof. Sir Richard SOUTHWOOD, D.Sc., F.R.S., P.R.E.S.

M. G. MORRIS, M.A., Ph.D., F.R.E.S.

K. G. V. SMITH, M.I.Biol., F.L.S., F.Z.S., F.R.E.S.

J. W. ISMAY, B.Sc., Ph.D., F.R.E.S.

P. M. HAMMOND, M.A., F.R.E.S.

W. R. DOLLING, B.Sc., F.R.E.S.

VOLUME 121

'J'engage donc tous à éviter dans leurs écrits toute personnalité, toute allusion dépassant les limites de la discussion la plus sincère et la plus courtoise.' — *Laboulbène*.

THE ENTOMOLOGIST'S MONTHLY MAGAZINE
BRIGHTWOOD
BRIGHTWELL, WALLINGFORD, OXON OX10 0QD

1985

CONTENTS

CONTRIBUTORS	iii
GENERAL INDEX	iv
SPECIAL INDEX –	
ARACHNIDA	vii
COLEOPTERA	vii
COLLEMBOLA	ix
DERMAPTERA	ix
DIPTERA	ix
EPHEMEROPTERA	xi
HEMIPTERA	xii
HYMENOPTERA	xii
LEPIDOPTERA	xiii
MANTODEA	xiii
NEUROPTERA	xiii
ODONATA	xiv
ORTHOPTERA	xiv
PHASMODEA	xiv
PLECOPTERA	xiv
SIPHONAPTERA	xiv
TRICHOPTERA	xiv
GROUPS OTHER THAN INSECTA AND ARACHNIDA	xiv
ERRATA AND CORRIGENDA	xiv

DATES OF PUBLICATION

January/February/March/April	26th April 1985
May/June/July/August	29th July 1985
September/October/November/December	29th November 1985

INDEX

This index covers the year 1985 (Vol. 121). Items occurring on the wrappers are indicated by Roman numerals. Prepared by Mrs A.V. Smith and Sir Christopher Andrewes, F.R.S.

INDEX TO CONTRIBUTORS

- Ackland, D.M., 178
 Alexander, K.N.A., 72, 124, 184, 240
 Al-Houty, W., 62
 Allen, A.A., 18, 34, 38, 43, 53, 91, 108,
 141, 150, 198, 205, 209, 226
 Anderson, R., 133
 Angus, R.B., 89
 Archer, M.E., 96, 156, 205
 Armitage, P.D., 235
 Askew, R.R., 8
 Baez, M., 63
 Ball, S.G., 80
 Birkett, N.L., 26
 Blair, B.W., 87
 Bowden, C.G.R., 59
 Bowden, J., 99, 185
 Brindle, A., 73
 Callan, E.McC., 25
 Carr, R., 213
 Carter, D.J., 70, 142
 Carter, I.S., 91
 Chambers, V.H., 207
 Cheke, R.A., 137
 Cole, J.H., 241
 Constantinou, C., 149, 155
 Cooter, J., 88
 Crosskey, R.W., 167
 Crowson, R.A., 144, 206
 Deeming, J.C., 63, 166, 259
 Disney, R.H.L., 55, 97, 243, 261
 Dolling, W.R., 143
 Drane, A.B., 107, 148, 166, 184
 Duncan, P.B., 27
 Eds., iii
 Edwards, M., 8
 Elmes, G.W., 108
 Fennah, R.G., 85
 Fleming, D.A., 19
 Fletcher, D.S., 188
 Fowler, J.A., 248
 Furse, M.T., 235
 Garland, S.P., 54
 Garms, R., 137
 Gerard, B.M., 234
 Gibbs, D., 54
 Gillespie, E., 125
 Goddard, D.G., 157, 166
 Godfray, H.C.J., 109, 157
 Graham, M.W.R., de, 159
 Greenwood, M.T., 59
 Harris, K.M., 44, 86
 Hayek, C.M.G. von, 91
 Hillerton, J.E., 211
 Hollier, J.A., 110
 Hsiung, C.-C., 227
 Hyman, P.S., 72
 I.C.Z.N., 98
 Irwin, A.G., 38, 151
 Ismay, J.W., 35
 Jacob, T.A., 19
 Kevan, D.K.McE., 1, 260
 Khasimuddin, S., 87
 Kormilev, N.A., 98
 Lane, R., 238
 Lee, J., 54
 Lewis, J.G.E., 257
 Liston, A.D., 96, 237
 McClenaghan, I., 33
 McGavin, G.C., 109
 MacGowan, I., 24
 Mallorie, H.C., 253
 Martin, J.H., 143
 Mendel, H., 58, 95
 Miller, A.K., 123, 127
 Miller, P.L., 123, 127
 Morris, M.G., 142, 158, 180
 Newton, P.N., 59
 Nixon, G.E.J., 145, 189
 Ormerod, S.J., 54
 Owen, J.A., 91, 209
 Peach, W.J., 248
 Pope, R.D., 181
 Popov, G.B., 199
 Prance, D.A., 136
 Quicke, D.L.J., 215, 217
 Qvick, U., 39
 Rands, M.R.W., 59
 Read, R.W.J., 61, 80, 88, 111
 Reid, C., 23, 44, 71, 260
 Rotheray, G.E., 237
 Rougemont, G. de, 119
 Rowlands, M., 163
 Seddon, A.M., 45
 Shaw, M.R., 98, 162
 Sinclair, M., 61
 Skidmore, P., 239, 249
 Smith, K.G.V., 24, 62, 69, 70, 81, 86, 95,
 165, 180, 206, 210, 212, 238, 252
 Spencer, K.A., 179
 Thomas, C.D., 253
 Thompson, J.L. Cloudsley-, 155
 van Someren, G.R. Cunningham-, 81
 Verdcourt, B., 150
 Walker, M.A., 9
 Wanless, F.R., 210
 Webb, N.R., 108
 Welch, R.C., 34
 Whalley, P., 158
 Whiteley, D., 54
 Williams, D.J., 53, 87
 Wright, J.F., 235
 Wyatt, N.P., 136

GENERAL INDEX

- Africa, sexual mosaics in the *Simulium damnosum* species complex (Dipt., Simuliidae) in West, 137; two new species of grasshopper (Orth., Acrididae) from, 199
- Afrotropical Braconidae (Hym., Braconidae), reclassification of, 215, 217
- Aggregation, a sleeping, of *Chalybion tibiale* (F.) (Hym., Sphecidae) in South Africa, 25
- Altitudes of Moroccan butterflies, 253
- Amateur Entomologist's Society Jubilee Year, xi
- American species of *Labia* Leach (Derm., Labiidae), synonymical notes on, with a key to species and description of a new species, 73
- Attraction of a fruit drink to Carabid beetles, 33
- Britain, *Aleurochiton acerinus* Haupt., a maple-feeding whitefly (Hom., Aleyrodidae) new to, 143; *Colastes pubicornis* (Thomson) (Hym., Braconidae, Exothecini) new to, with a first host record, 109; *Exochomus nigromaculatus* (Goeze) (Col., Coccinellidae) in, 239; *Panspoeus guttatus* Sharp (Col., Elateridae), 91; *Schimitschekia populi* Bouček, 1965, a genus of Pteromalidae (Hym., Chalcidoidea) new to, 157; some scarce species of *Platypalpus* Macquart (Dipt., Empididae), including *P. pallidisetia* Kovalev new to, 241; *Trixagus brevicollis* (de Bonvouloir) (Col., Throscidae) in, 95
- British Isles, *Agonum lugens* (Duftschmid) (Col., Carabidae) new to the, 133
- British, additions and amendments to the list of *Megaselia* (Dipt., Phoridae), 243; earliest capture of *Scolytus laevis* Chapuis (Col., Scolytidae), 198; *Ochthera* (Dipt., Ephydrididae), 151
- Buckinghamshire, some local species of Coleoptera at Stoke Common S.S.S.I., 23
- Buddleia flowers, *Xylota segnis* (L.) (Dipt., Syrphidae) feeding at, 205
- Butterfly stamps from Monaco, vii
- Cambridge, *Anobium inexpectatum* Lohse (Col., Anobiidae) from, 58
- Canary Islands, some Milichiidae (Dipt., Cyclorrhapha) from the, 63
- Celebes, two new species of *Stiliderus* (Col., Staphylinidae) from, 119
- Chalk brood disease of honeybees, vii
- Characters, further, for distinguishing nymphs of the *Baetis vernus/tenax* group from *B. buceratus* Eaton (Ephem., Baetidae), 235; external for the separation of *Stenus aceris* Stephens and *S. impressus* Germar (Col., Staphylinidae), 71
- Cornwall, *Dirhagus pygmaeus* (Fab.) (Col., Eucnemidae) new to, 184
- Correction [to paper on H. Loew's Turkestan Diptera], 95
- Crepuscular feeding and sexual activity in *Boyeria irene* (Fonsc.) (Odon., Aeshnidae) in Southern France, simultaneous occurrence of, 123
- Cumbria, *Magdalis duplicata* Germar (Col., Curculionidae) new to England from, 88
- Derbyshire, some interesting Coleoptera, Hymenoptera and Diptera from Ford Valley, in, 54
- Duncan, Sir Arthur, collection of, goes to the Royal Scottish Museum, 98
- Durham, a pitfall trap study on Carabidae and Staphylinidae (Col.) in County, 9
- East Anglia, *Asteia elegantula* Zett. (Dipt., Asteiidae) in, 38
- England, *Magdalis duplicata* Germar (Col., Curculionidae) new to, 88; notes on *Cypha* spp. (Col., Staphylinidae) in, 44; notes on the genus *Stenus* Latreille (Col., Staphylinidae) in North-East, 260
- External characters for the separation of *Stenus aceris* Stephens and *S. impressus* Germar (Col., Staphylinidae), 71
- First record of Rhinophoridae (Dipt.) in *Porcellio spinicornis* Say (Isopoda, Porcellionidae), 38
- Fleabane, *Sphaeroderma testaceum* (F.) (Col., Chrysomelidae) from, 53
- Flight style, sex identity and male interaction in a non-terrestrial dragonfly *Onychogomphus forcipatus unguiculata* (van der Linden) (Odon., Gomphidae), 127
- France, simultaneous occurrence of crepuscular feeding and sexual activity in *Boyeria irene* (Fonsc.) (Odon., Aeshnidae) in southern, 123
- Fungus *Daldinia concentrica* (Bolt.), beetles associated with, in Scotland, 206
- Gloucestershire, *Macroplox preyssleri* (Fieber) (Hem., Lygaeidae) in, and South Wales, 8; *Rhizophagus nitidulus* (Fab.) (Col., Rhizophagidae) in, and other records, 124
- Gower (W. Glamorgan), a second record of *Leistus rufomarginatus* (Dufts.) (Col., Carabidae) from the, 256
- Habitat note on *Oedalea flavipes* Zett. (Dipt., Hybotidae), a, 34
- Haliday Collection, Dublin, on some Rondani types of Chalcidoidea (Hym.) in the, 159
- Handa, Isle of, West Sutherland, Chironomidae (Dipt., Nematocera) from the, 26
- Hertfordshire, further records of *Brachyptera putata* (Newman) (Plec., Taeniopterygidae), 88

- Houses, centipedes entering, 257
- Hydrophilus*, *Hydrous* and *Hydrochara* (Col., Hydrophilidae), 181
- Identity of *Cetema elongata* (Meigen) (Dipt., Chloropidae), 35
- Increase, recent, of *Atheta (Acrotona) parens* Mulsant & Rey (Col., Staphylinidae) in S.E. England, 18
- Indo-Australian and Afrotropical Braconinae (Hym., Braconidae), reclassification of, 215
- International Commission on Zoological Nomenclature, 98
- Japanese species of *Megaselia* (Dipt., Phoridae) responsible for urogenital myiasis is a new species, 261
- Kent, aquatic Coleoptera from Longrope Wood, with further records of *Limnebius crinifer* Rey (Hydraenidae) in East, 213; *Chelipoda vocatoria* (Fall.) (Dipt., Empididae) in, 205; *Hilara angustifrons* Strobl (Dipt., Empididae) recaptured near Darenth, 43
- Kuwait, abnormal reproductive behaviour in *Trachyderma philistina* Reiche (Col., Tenebrionidae) from, 155; some Odonata from, 62
- Larva of *Stylogaster varifrons* Malloch (Dipt., Stylogasteridae), 81
- Leicestershire, *Anobium inexpectatum* Lohse (Col., Anobiidae) in, 157; *Ceraclea senilis* (Burmeister) (Trichop., Leptoceridae) in, 166
- Life-history and population biology of *Apiloscatopse scutellata* (Loew) (Dipt., Scatopsidae), with notes on the final instar larva, 45
- Light trap, swarm of *Myrmica ruginodis* Nylander (Hym., Formicidae) in a, 108
- Lincolnshire, *Omius mollinus* Boheman (Col., Curculionidae) in Grimsthorpe Park, S., 184
- London, *Axinotarsus marginalis* (Lap.) (Col., Melyridae) in S.E., 141; *Carpelimus fuliginosus* (Grav.) (Col., Staphylinidae) at light in S.E., 108; *Platypus parallelus* (F.) (Col., Scolytidae) again captured at light in S.E., 141; *Rhamphomyia umbripennis* Mg. (Dipt., Empididae) in S.E., 150; *Psylloides weberi* Lohse (Col., Chrysomelidae) in the suburbs of, 226
- Mantis and the serpent, the, 1; correction to, 260
- Maple-feeding whitefly, *Aleurochiton acerinus* Haupt. (Hom., Aleyrodidae) new to Britain, 143
- Mating activity of *Rhagus unica* Walker (Dipt., Empididae), 39
- Moroccan butterflies, 253
- Myiasis, urogenital, the Japanese species of *Megaselia* (Dipt., Phoridae) responsible for, is a new species, 261
- Nauru, Isle of, some scale insects (Hom., Coccoidea) from, 53
- Nepal, records of fleas from, including the first record of *Acropsylla traubi* Lewis (Siphonap., Leptopsyllidae), 59
- Nests, secondary, in the hornet, *Vespa crabro* L. (Hym., Vespidae), 189
- New genus of the Belytinae (Hym., Proctotrupoidea), 207
- New name in *Andes* (Hom., Fulgoroidea, Cixiidae), 85
- Nigeria, two records of Dixidae (Dipt.) from northern, 259
- Norfolk, *Bicellaria mera* Coll. (Dipt., Empididae) in, 38; Coleoptera from a dovecote at Felbrigg Hall, 34; *Myopa curtirostris* Kröber (Dipt., Conopidae) in, together with observations on other Conopidae, 8
- Norhamptonshire, A second locality for *Ernoporus caucasicus* Lindemann (Col., Scolytidae) and notes on some other beetles, 107; *Cercyon laminatus* Sharp (Col.) taken from a manure bay at Rockingham, 148; *Procræus tibialis* (Boisd. & Lacord.) (Col., Elateridae) in, 166
- Northumberland, *Leopoldius signatus* (Wied.) in, and other records of Conopidae from north east England, 80
- November, *Lucilia sericata* (Mg.) (Dipt., Calliphoridae) in, 209
- Olfactometer chamber, a fusiform, 163
- Predation in an adult stonefly (Plecopt., Chloroperlidae), 237
- Raspberry beetle (*Byturus tomentosus* Deg.) (Col., Byturidae), *Tetrastichus halidayi* (Graham) (Hym., Eulophidae) from the, 234
- Replacement name for *Carventus parvus* Kormilev (Hem., Aradidae), 98; names for three species of *Megaselia* (Dipt., Phoridae), 97
- Reproductive behaviour in *Trachyderma philistina* Reiche (Col., Tenebrionidae) from Kuwait, abnormal, 155
- REVIEWS – Carter, D.J.C., 1984, Pest Lepidoptera of Europe, with special reference to the British Isles, 212; Cribb, P.W., 1983, Breeding the British Butterflies, 70; Croft, B.A. & Hoyt, S.C. (eds), 1983, Integrated Management of Insect Pests of Pome and

- Stone Fruits, 86; [Forestry Commission], 1983, A Catalogue of Phytophagous insects and Mites on Trees in Great Britain, 62; Griffiths, G.C.D., 1984, Flies of the Nearctic Region Vol. VIII Cyclorrhapha II (Schizophora Calyptratae) Pt 2 Anthomyiidae Nos 2 & 3, 178; Heath, J., Pollard, E. & Thomas, J.A., 1984, Atlas of Butterflies in Britain and Ireland, 158; Howarth, T.G., 1984, Colour Identification Guide to Butterflies of the British Isles, 180; Hutson, A.M., 1984, Handbooks for the Identification of British Insects, Keds, Flat-flies and Batflies (Diptera, Hippoboscidae and Nycteribiidae), 70; Manson-Bahr, P.E.C. & Apted, F.I.C., 1982, Manson's Tropical Diseases, 18th edn, 238; Meeuse, B. & Morris, S., 1984, The Sex Life of Flowers, 69; Morgan, D., 1984, Handbooks for the Identification of British Insects, Cuckoo-Wasps (Hymenoptera, Chrysididae), 252; New, T.R., 1984, Insect Conservation: an Australian Perspective, 142; Nickle, W.R. (ed.), 1984, Plant and Insect Nematodes, 44; Roberts, M.J., 1985, The Spiders of Great Britain and Ireland, 210; Ryan, J.G., O'Connor, J.P. & Bierne, B.P., 1984, A Bibliography of Irish Entomology, 86; Skidmore, P., 1985, The Biology of the Muscidae of the World, 210; Skinner, B., 1984, Colour Identification Guide to Moths of the British Isles, 158; Skou, P., 1984, Nordens Malere, Danmarks Dyreliv, 188; Smithsonian Year 1983, iii; 1984, xi; Sokoloff, P., 1984, Breeding the British and European Hawk-Moths, 142; Stroyan, H.L.G., 1984, Handbooks for the Identification of British Insects, Aphids, Pterocommatinae and Aphidinae (Aphidini) (Homoptera, Aphididae), 206; Stubbs, A.E., 1983, British Hoverflies: an Illustrated Identification Guide, 24; Thomas, J. & Webb, N., 1984, Butterflies of Dorset, 238; Torp, E., 1984, Danmarks Dyreliv Bind 1; Die Danske Svirrefluer (Diptera, Syrphidae), Kendetegn, Levevis of Udbredelse, 136; Wallen, J., Wightman, A.S. & Penning, W., 1984, Effects of Cadmium in Fresh Water - A Bibliography, 180; Wigglesworth, V., 1984, 8th edn, Insect Physiology, 165.
- Rhum, The Odonata of, 27
- Rondani types of Chalcidoidea (Hym.) in the Haliday Collection, Dublin, 159
- Scotland, *Coeliodes nigrirarsis* (Hartmann) (Col., Curculionidae), in S.-W., 61; *Pristophora staudingeri* (Ruthe) (Hym., Tenthredinidae) on *Salix phylicifolia* L. in southern, 96; aquatic Hemiptera-Heteroptera of still water from the Lothians, 125; beetles associated with the fungus *Daldinia concentrica* (Bolt.) in, 206; *Chrysopa perla* (Linnaeus) (Neurop., Chrysopidae) in, 162
- Sexing of *Haematobia irritans* (L.) (Dipt., Muscidae), 211
- Sexual activity and crepuscular feeding in *Boyeria irene* (Fonsc.) (Odon., Aeshnidae) in southern France, simultaneous occurrence of, 123
- Sexual mosaics in the *Simulium damnosum* species complex (Dipt., Simuliidae) in West Africa, 137
- Slug, *Lycoriella solani* Winnetz (Dipt., Sciaridae) bred from a dead, 150
- Somerset, *Anobium inexpectatum* Lohse (Col., Anobiidae) in north, 58
- South Africa, a sleeping aggregation of *Chalybion tibiale* (F.) (Hym., Sphecidae) in, 25
- South America, a new genus of Bombyliidae (Dipt.) from, 99
- Spain, a new species of *Helophorus* F. (Col., Hydrophilidae) from northern, 89
- Sponge bathing in the scorpion, *Buthus occitanus* (Am.), 149
- Suffolk, *Anobium inexpectatum* Lohse (Col., Anobiidae) in west, 58; *Philanthus triangulum* (F.) (Hym., Sphecidae) in, 156
- Supragenic names in Simuliidae (Dipt.), the authorship, dating and application of, 167
- Surrey, a concentration of *Pyconomerus fuliginosus* Er. (Col., Colydiidae): records from the Haslemere area of, and west Sussex, 72; some Lygaeidae (Hem.-Het.) from Mitcham Common, 110; a locality for *Gabrius subnigrifolius* (Reitter) (Col., Staphylinidae) in, 136
- Sussex, west, a concentration of *Pyconomerus fuliginosus* Er. (Col., Colydiidae); records from the Haslemere area of Surrey and, 72; some recent records of *Cerylon fagi* Bris. (Col., Cerylonidae) from S. Hants and west, 240
- Sutherland, west, Chironomidae (Dipt., Nematocera) from the Isle of Handa, 26
- Swarm of *Myrmica ruginodis* Nylander (Hym., Formicidae) in a light trap, 108
- Systematic position of *Nemonyx Redtenbacher* (Col.), 144
- Temperature, constant, and humidity, effect of on the egg period of *Dermestes maculatus* Degeer and the influence of free water upon the developmental period of (Col., Dermestidae), 19
- Tobacco, *Phenacoccus solani* Ferris (Hom., Coccoidea, Pseudococcidae) infesting, in Zimbabwe, 87
- Tribal classification of the Bombyliinae with particular reference to the Bombyliini and Dischistini, and the description of a new genus from South America (Dipt., Bombyliidae), 99

- Turkey, a new species of *Nemestrinus* (Dipt., Nemestrinidae) from, 185
 Usurpation in certain Vespidae, especially *Vespula vulgaris* L. (Hym.), the phenomenon of, 145
 Viviparity in the Chloropidae (Dipt.), 179
 Wales, *Macroplox preyssleri* (Fieber) (Hem., Lygaeidae) in Gloucestershire and, 8; rearing records for *Amobia signata* (Mg.) (Dipt., Sarcophagidae) from south, 166;
Stenelmis canaliculata (Gyllenhal 1808) (Col., Elminthidae) new to, 54
 West Country, uncommon meniscus midges (Dipt., Dixidae) in the, 248
 Western Isles, notes on the Diptera of, 24
 Window sill, sweepings from, a new source of aculeate bees and wasps from the, 96
 Wing veins in the Phoridae (Dipt.), re-interpretation of the, 55
 Yorkshire, *Crossocerus leucostoma* (L.) (Hym., Sphecidae) in, 205
 Zimbabwe, *Phenacoccus solani* Ferris (Hom., Coccoidea, Pseudococcidae) infesting tobacco in, 87

SPECIAL INDEX

New genera, and species, etc., are indicated by heavy type, genera and species new to Britain by an asterisk (*).

ARACHNIDA

- Aceria*, sp., 143
Alayotityus nanus, 149
Anuroctonus phaeodactylus, 149
Buthus occitanus, 149-50
Centruroides armadi, *insulanus*, *robertoi*, 149
 Lycosidae, indet., 81
 mites, 62
Rhopalurus junceus, 149
 spiders, 210
Tegenaria duellica, *gigantea*, 210
Tityus trivittatus fasciolatus, 149
Tyrophagus putrescentiae, 150

COLEOPTERA

- Abax parallelepipedus*, 10-1
Aciilius sulcatus, 214
Acrotona (s.g.), 18
Adrastus, 91
Aegialia rufa, 98
Agabus bipustulatus, *chalconatus*, *sturmi*, 213-4
Agonum albiceps, *lugens*, *moestum*, *muelleri*, *piceum*, *thoreyi*, *viduum*, 133-5
Aleochara villosa, 34
Alosterna tabacicolor, 54
Anacaena globulus, *limbata*, 214
Anobium hederæ, 58; *inexpectatum*, 58, 157
Anotylus inustus, *rugosus*, *sculpturatus*, 14
Anthicus bifasciatus, 148
Anthobium unicolor, 14

- Aphodius rufus*, *scybalarius*, 98
Argopus ahrensi, 234
Atheta (*Mocyta*) *amplicollis*, *exigua*, [*Acrotona*] *fungi*, f. var. *dubia*, [*Coprothassa*] *melanaria*, [*Acrotona*] *muscorum*, *nigricornis*, [*Acrotona*] *parens*, *pygmaea*, 18
Atrachelophorus (s.g.), 89
Axinotarsus marginalis, 141
Badister dilatatus, *peltatus*, 135
 bark beetles, 44
Bembidion assimile, *doris*, *fumigatum*, 135; *guttula*, 11
Berosus affinis, 214
Betarmon, 93
Biphyllus lunatus, 166
Blethisa multipunctata, 135
Bolitobius analis, *cingulatus*, 14
Bradycellus harpalinus, 11; *ruficollis*, 23
Byturus tomentosus, 234
Calathus fuscipes, *melanocephalus*, *piceus*, 11
 carabid beetles, 50
Carabus granulatus, 135; *nemoralis*, 11; *problematicus*, *violaceus*, 11, 33
Carpelimus bilineatus, *fuliginosus*, *pusillus*, 108
Cercyon laminatus, 148
Cerylon fagi, 240; *ferrugineum*, 124, 166
Ceutorhynchus floralis, *terminatus*, *turbatus*, 61
Chilocorus, 239; *bipustulatus*, 240
Chlaenius nigricornis, 135
Chrysolina, 98
Cimberis, 144
Cionus, 111
Cleopus, 111

- Clivina fossor*, 11
Coeliodes nigratarsis, 61
Coelogaster, 115
Colymbetes fuscus, 214
Conopalpus testaceus, 166, 184
Copelatus haemorrhoidalis, 213
Corticeus bicolor, 54
Cryptohypnus, 93
Cryptophagus obsoletus, 34; *ruficornis*, 206; *scanicus*, 34
Ctesias serra, 166
Cymbiodyta marginella, 214
Cypha discoidea, *hanseni*, *laeviuscula*, *longicornis*, *pulicaria*, *punctum*, 44
Cyphon coarctatus, *hilaris*, **kongsbergensis*, *ochraceus*, *padi*, 249-52
Dermestes ater, 19, 21; *maculatus*, 19-23
Dirhagus pygmaeus, 184
Dorcus parallelipedus, 166
Dyschirius globosus, *luedersi*, 135
Dytiscus caraboides, *circumcinctus*, *fuscipes*, *luridus*, *piceus*, *scarabaeoides*, 181-3
Elaphrus cupreus, 135; *riparius*, 11, 135
Elmis aenea, 54
Enochrus coarctatus, *testaceus*, 214
Ernopus caucasicus, *'tiliae'*, 107
Esolus parallelepipedus, 54
Euphryum confine, 80, 94
*Exochomus *nigromaculatus*, 239
Gabrius scoticus, 209; *subnigritulus*, 136
Guignotus pusillus, 213
Gyrinus marinus, *substriatus*, 214
Haliphus fluviatilis, *heydeni*, *lineatocollis*, *ruficollis*, 213
Haltica, 112
Harpalus rufipes, 33
Helochares punctatus, 214
Helophorus arvernicus, *brevitarsis*, *confrater*, *glacialis*, 90; *grandis*, 214; *guttulus*, *korotyaevi* (*Atracthelophorus*), *leontis*, *nevadensis*, 89-90
Hydraena riparia, *testacea*, 214
Hydrobius fuscipes, 214
Hydrochara, 182-3
Hydrochus angustatus, 214
Hydrophilum, 181
Hydrophilus aeneus 181-3; *piceus*, 214
Hydroporus angustatus, *discretus*, *dorsalis*, *erythrocephalus*, *gyllenhali*, *incognitus*, 213; *melanarius*, 23; *memnonius*, *neglectus*, *nigrita*, *palustris*, *planus*, *pubescens*, *striola*, *tristis*, 213
Hydroum, 181, 182
Hydrous, 181-3; *caraboides*, *fuscipes*, *luridus*, *olivaceus*, *piceus*, 181
Hydrovatus clypealis, 213
Hygrotus inaequalis, 213
Hylecoetus dermestoides, 54
Hypera, 111
Hyphydrus ovatus, 213
Idolus, 91
Ilybius ater, *fuliginosus*, *guttiger*, 213
Laccophilus minutus, 213
Lathridius anthracinus, *minutus*, 34
Lathrobium brunnipes, *fulvipenne*, 14
Leistus ferrugineus, *fulvibarbis*, *rufescens*, 11; *rufomarginatus*, 256
Lesteva longoelytrata, 14
Limnebius crinifer, *nitidus*, *papposus*, *truncatellus*, 214
Limnius volkmari, 54
Litargus connexus, 206
Lithostygnum (= *Metophthalmus*) *serripennis*, 34
Lordithon lunulatus, 14
Loricera pilicornis, 11
Magdalis armigera, *carbonaria*, *duplicata*, *phlegmatica*, *ruficornis*, 88
Mallodon downesi, 223
Megasternum obscurum, 214
Mycetaea hirta, 34
Mycetochara humeralis, 107
Mycetophagus atomarius, 206; *piceus*, 107
Nebria brevicollis, 11-2
Nemonyx lepturoides, 144
Notiophilus biguttatus, 11
Ochthebius exaratus, *minimus*, 214
Olophrum piceum, 14
Omalius rivulare, 14
Omius mollinus, 184
Othius angustus, *laeviusculus*, *punctulatus*, 14
Oulimnius tuberculatus, 54, 214
Panspoeus bipunctatus, 92; **guttatus*, 91-5; *tenebrosus*, 92
Paromalus flavicornis, 124
Patrobis atrorufus, 11
Pediacus dermestoides, 107
Pelophila borealis, 135
Perigaster, 115
Philonthus addendus, *cognatus*, *decorus*, *fimetarius*, *laminatus*, *marginatus*, *puella*, *rotundicollis*, *splendens*, *varians*, *varius*, 13-7
Phyllodrepa puberula, 34
Phytobius comari, 111-8
Phytodecta viminalis, 23
Platypus linearis, *parallelus*, 141
Platyrhinus resinosus, 206
Platystethus arenarius, 14
Plegaderus dissectus, 107
Pomachil[il]inae, 91, 93
Porhydrus lineatus, 213
Procaerus tibialis, 166
Psilotracelus, 119
Psylliodes napi, *weberi*, 226
Ptenidium, 98; *gressneri*, 107
Pterostichus madidus, *melanarius*, 11, 33; *niger*, *nigrita*, *strenuus*, 11
Ptilium, 98
Ptinus fur, 34; *subpilosus*, 107
Pycnomerus fuliginosus, 72
Pyropterus nigroruber, 54
Quedius curtippennis, 14, 16; *fuliginosus*, 16; *lateralis*, *molochinus*, 14
Rhinomacer, 144

Rhinorrhynchus, 144
 Rhinosimus planirostris, ruficollis, 124
 Rhizophagus bipustulatus, 124; nitidulus, 54, 124
 Scaphidium quadrimaculatum, 23
 Scolytus intricatus, 54; laevis, mali, scolytus, 198
 Sinodendron cylindricum, 166
 Sphaeroderma testaceum, 53
 Staphylinus aeneocephalus, 13, 14, 17; olens, 14
 Stenelmis canaliculata, 54
 Stenus aceris, 71-2, 260; argus, biguttatus, 260; bimaculatus, 14, 71; binotatus, 71; brevipennis, 23; canescens, 71; cicindeloides, comma, 260; geniculatus, 23; guttula, 260; impressus, 71-2, 260; lustrator, nanus, nigrutilus, oscillator, tarsalis, 260
 Stilbus testaceus, 44
 Stilicorderus, 119
 Stiliderus ancora, bakerianus, **brendelli**, brevipennis, **celebensis**, cicatricosus, crassus, densissimus, discalis, flavomarginatus, fortépunctatus, geniculatus, latericarinatus, longiceps, longicollis, longipennis, magniceps, micropterus, nigerrimus, nitidipennis, praecellens, pulchripennis, sculptipennis, splendidipennis, 119-22
 Synchrona humeralis, 206
 Tachinus corticinus, signatus, 14
 Tachyporus hypnorum, 14, 44; obtusus, 14
 Thanasimus formicarius, 54, 166
 Trachyderma phiistina, 155-6
 Trechus obtusus, 11
 Trichocellus placidus, 11
 Trixagus brevicollis, dermestoides, 95
 Vincenzellus ruficollis, 124
 weevil, 33
 Xantholinus linearis, 13
 Xestobium rufovillosum, 166
 Xylodromus depressus, 34

COLLEMBOLA

Collembola, 42

DERMAPTERA

Euborellia annulata, stali, 74
 Forficula annulata, 74
 Labia arcuata, biolleyi, chopardi, conspicua, curvicauda, cyanescens, dorsalis, flaviscuta, **heliconia**, maeklini, minor nodulosa, oraedivitis, pilicornis, rehni, rogenhoferi, rotundata, 73-9
 Marava biolleyi, flaviscuta, oredivitis, rotundata, 73-9

DIPTERA

Acanthogeron, 100
 Acrophthalmyda, 102
 Acrophthalmydini, 99
 Adelidea, 101
 Aedes aegypti, 238
 Aldrichia, 101
 Amobia signata, 166
 Anastoechus, 101-3
 Anthomyiidae, 178
 Anthracophagella albovariegata, 179
 Aphiochaeta (s.g.), 262
 Aphrosylus celtiber, 24
 Apiloscatopse scutellata, 45-52
 Apostrophus, 95
 Argyra diaphana, perplexa, 24
 Asphondylia scrophulariae, 159-60
 Asteia elegantula, 38
 Austrosimuliini, 171-4
 Austrosimulium, 171
 Bengalia floccosa, peuhi, spinifemorata, 81
 Bessaria melanura, 95
 Bibionidae, 130
 Bicellaria mera, 38
 black flies, 44
 Bombyliidae, Bombyliinae, 99-107
 Bombyliini, 99-107
 Bombylisoma, 100-2
 Bombylius, 99; abdominalis, aurovittatus, discoideus, fulvonotatus, flavescens, haywardi, landbecki, maculatus, melampogon, mesomelas, nigricornis, ochraceus, ovatus, rufoanilis, ruizi, seniculus, transatlanticus, valdivianus, 99-103
 Bombylodes, 99
 Brachycera larvae, 47
 Brachyopa, 24
 Byssodon, 172
 Cacoplox, 99, 101, 106; griseata, 103
 Calliphora, 209
 Calliphoridae, 81
 Camarota angustifrons, 179
 Cecidomyia frumentaria, 162
 Ceratopogonid larva, 82
 'Ceratopogonites', 176
 Cetema elongata, 35-7; nudipes, 35; similis, 35-7
 Cheilosia, 136; illustrata, 24
 Chelipoda vocatoria, 205
 Chirosia histicrina, 109
 Chloropidae, 179
 Chloropsina litoralis, 179
 Cnephia, 169, 171
 Cnephini, 169-71, 173-4
 Cnesia, 171, 174
 Cnesiinae, 171
 Cnesiini, 174
 Coboldia fuscipes, 50, 52
 Coenosia sexnotata, 249
 Conophorina, 101
 Conophorini, 100
 Conopidae, 84
 Conops, 85; flavipes, 80

- Corsomyzini, 99
 Criorhina berberina, 54
 Crocidiini, 100
 'Culicina', 176
 'Culicites', 176
 Cyclorrhapha larvae, 47
 Cylleniinae, 99
 Cytherea, 99
 Cythereinae, 99
 Dasysyrphus lunulatus, 24
 Desmometopa m-nigrum, 63, 68
 Dichaetomyia albinita, distanti,
 immaculiventris, pallidula, tristis, 81-2
 Diptera, 33
 Dischistini, 99-107
 Dischistus, 99-101, 106; melampogon,
 mystax, nigricornis, transatlanticus, 101
 Dixia camerounensis, 259; dilatata, 248;
 lunata, 259; maculata, nebulosa,
 nubilipennis, puberula, submaculata,
 248
 Dixella attica, filicornis, 248
 Dolichopodidae, 56
 Dolichopus nubilis, 24; pennatus, 56;
 popularis, 24
 Doliogethes, 101
 Drosophila, 56; busckii, 150
 Drosophilidae, 56, 179
 Eecoptomma freyi, 66
 Ecliminae, 99
 Ectemnia, Ectemniinae, 169-71
 Ectemniini, 169, 174
 Efflatounia, 99-101
 Emmesomyia, 178
 Empididae, 57
 Empis, 42; livida, 24
 Episyrphus balteatus, 24
 Eristalis intricarius, 24
 Eucharimyia, 101
 Euprepina, 101
 Eurycaenus, 101-2; chilensis, dichopticus,
 102
 Eusimuliini, 170-1; 173-4
 Eusimulium, 170-1, 174
 Eutrichota socculata, 178
 Friesia, Friesiini, 171, 174
 Geminaria, 101
 Glossinidae, 179
 Gonarthrus, 101
 Greniera, 169
 Gymnopauidinae, 172-4
 Gymnopauidini, 174
 Gymnopaids, 172
 Gynonychodon, 172-3
 Haematobia irritans, i. exigua, i. irritans,
 211-2
 Hallidia, 101
 Halocladus variabilis, 26
 Hellichia, 172
 Hellichini, 172, 174
 Helodoini, 172-3
 Helodon, 172-3
 Helodontini, 173-4
 Hemigymnochaeta unicolor, 81
 Heterostyliini, 99
 Heterostylum, 100-1
 Hilara, 42, 43; aeronetha, angustifrons,
 lurida, thoracica, 43
 Holoclera (s.g.), 150
 Hydrotaea pandellei, 248
 Hypaspistomyia latigenis, 63
 Hypocera, 57
 Ironomyiidae, 57
 Ischnonyx verbasci, 160
 Isocnemus, 101
 Isomyia sp. nr. pubera, 82
 Karakumia, 99, 101; eximia, multisetosa,
 nigra, 99
 Lagaroceras pulchellum, 179
 Leopoldius, 85; signatus, 80
 Lepidochlanus, 100-1
 Leptometopa rufifrons, 63, 68
 Limnochironomus pulsus, 26
 Limnophyes minimus, 26
 Limonia rufiventris, 249
 Lordotus, 101
 Lucilia sericata, 209
 Lycoriella solani, 150
 Macropelopia notata, 26
 Madiza glabra, 63, 68
 Mallophthiria, 102
 Mariobezziini, 99
 Mayetiola destructor, 162
 Megaselia alaskensis, anisodactyla, aperta,
 badia, beckeri, carbonaria, 243-6;
 chainensis, 97; cinereifrons, collini,
 *consetigera, 243-6; **damasi**, 97;
 *densior, discreta, 243-5; divergens, 97;
 diversa, eminens, griseifrons,
 hendersoni; 243-7; **kurahashii**, 261-2;
 laticrus, lutea, *nigriscens, 243-5;
 nigellifrons, 262; nudiventris, 245, 247;
 plumanni, 97; pleuralis, 55-7; pollex
 [not British], pumila, 245-6; rufipes, 56;
 scaura, scutellariformis, scutellaris,
 semiscaura, septentrionalis [not
 British?], sepulchralis, 243-6; socia, 97;
 sordida, 246-7; subconvexa, 97;
 *subpalpalis, 247; trivialis, 261
 Melangyna compositarum, labiatarum, 24;
 guttata, 54
 Melanolimonia (s.g.), 249
 Melanophora roralis, 38
 Metriocnemis atriclavus, fuscipes, 26
 Milichia albomaculata, apicalis, mediocris,
 mixta, nitida, orientalis, posticata,
 pubescens, seguyi, speciosa, s.f.
 canariensis, sp. nr. albimaculata, sp.,
 63-8
 Milichiella bimaculata, 66, 68;
 lacteipennis, 65-6
 Molophus ater, 50
 mosquitoes, 44
 Muscidae, 179, 210; dung-breeding, 81
 Muscina, 210
 Myopa buccata, 8, 80; curtirostris,
 tesselatipennis, 8
 Nectaropota, 101

- Nemestrinus cinctus*, cinereus, kindermanni, reticulatus, **reticuloides**, signatus, 185-7
Nematocera larvae, 47
Neoascia meticulosa, tenur, 24
Neobombylodes, 99
Neodischistus, 101-2
Nevermannia, 170, 172; *tristrigata*, 174
Nevermanniini, 171-4
Nothoschistus, 99, 103-6; *maculatus*, *melampogon*, *nigricornis*, 99, 106; *transatlanticus*, 99, 104-5
Ochthera manicata, mantis, mantispa, *palearctica*, *schembrii*, 151-4
Odagmia, 172
Odagmiini, 171-2, 174
Oedalea flavipes, *holmgreni*, 34
Pachylophus beckeri, *contractus*, *frontalis*, *luteus*, *proximus*, *punctifemur*, sp., 179
Parabombylius, 101
Paradelphomyia nielseni, 249
Parapegomyia, 178
Paraphytomyza populi, 157
Paraschistus, 102
Parasystoechus, 101-2
Parasimuliinae, 172-4
Parasimulium, 172
Parasystoechus, 99, 102; *abdominalis*, 103; *flavescens*, 99, 102-3; *lundbecki*, *mesomelas*, *ochraceus*, *ruizi*, *seniculus*, *valdivianus*, 103
Paratoxophora, 102
Parectecephala gigas, 179
Passeromyia, 210
Pegomya, 178; *nigritarsis*, 109; *tabida* group, 178
Phaonia sp., 82
Philornis, 210
Phoridae, 55-8
Phyllodromia melanocephala, 205
Physocephala, 85; *rufipes*, 8
Pipiza, 136
Platophora divergens, *socia*, *subconvexa*, 97
Platamomyia, 102
Platycheirus albimanus, *clypeatus*, *immarginatus*, *peltatus*, *scambus*, 24
Platypalpus aeneus, *albisetia*, *divisus*, *exilis*, *leucochaeta*, *major*, *melancholica*, *mikii*, *obscura*, 241; **pallidiseta*, 241-2; *parvicauda*, *stigma*, 242
Platyppezidae, 57
Portevinia maculata, 54
Priophora [Fossil], 58
Prosimuliinae, 168-9, 172-4
Prosimuliini, 168, 174
Prosimulium, 168, 172
Psectrocladius limbatellus, 26
Pseudobdellia subsetosa, 81
Pseudorthocladus filiformis, 26
'Psychodites', 176
Rhagio unica, 39-43
Rhagio notatus, 24
Rhamphomyia, 42; *umbripennis*, 150
Rhaphium consobrinum, 24
Rhexosa subnitens, 50, 52
Rhinophoridae, 38
Sarcophaga, 82
Sarcophagidae, 179
Scatopse notata, 50-2
Scatopsid larvae, 45
Sciadocera rufomaculata, 56, 57
Sciadoceridae, 57
Sciadophora [fossil], 58
Semistoechus (s.g.), 100, 102
Sicus, 8, 85; *ferrugineus*, 80
Simulia, 175-6
Simuliadae, *Simulides*, 175
Simuliidae, 167-78
Simuliinae, 173-4
Simuliini, 168, 173-4, 176
Simuliites, 172, 175-6
Simulina, 175, 177
Simulinae, 177
Simulium, 168, 172, 175-6; *arcticum*, 137; *bezzii*, 174; *damnosum*, 137-40; *exiguum*, 137; *ornatum*, 176; *sanctipauli*, 137; *sirbanum*, 138, 140; *soubrense*, 137; *squamosum*, 138, 140
Sisyrrophanus, 102
Sosiomyia, 102
Sparnopolius, 102
Sphegina clunipes, 54
Stegopterna, *Stegopterninae*, 169, 172
Stegopternini, 169, 171, 173-4
Stylogaster, 81-5; *nitens*, 81, 83; *varifrons*, 81-5; *westwoodi*, 81-3
Stylogastridae, 84
Suilla sp. nr. *acroleuca*, 81
Synthesiomyia, 210
Syrphidae, 98, 130, 136
Syrphus torvus, *vitripennis*, 24
Systoechus, 101
Tachinidae, 17, 81
Tetisimulium, 174
Thecophora, 85
Tipulidae, 98
Tovlinius, 102
Tricyclea bifrons, 81
Tricyphona immaculata, 50
Triploecheus, 100, 102
Ulia, 66
Wilhelmia, 170, 172
Wilhelmini, 170, 172-4
Xylota coeruleiventris, 54; *florum*, 54, 205; *segnis*, 205; *sylvarum*, 54
Zinnomyia, 102
Zodion, 85; *cinereum*, 8, 80

EPHEMEROPTERA

- Baetis buceratus*, 235-7; *digitatus*, 54; *rhodani*, *tenax*, *vernus*, 235-7
Potomanthus luteus, 54
-

HEMIPTERA

- Aleurochiton *acerinus, complanatus,
pseudoplatani, 143-4
Andes **quadraticauda**, truncatus, 85
Aphis, 206
Arctocorisa germari, 125
Callicorixa praeusta, wollastoni, 125
Carventus **parvulus**, parvus, 98
Chermes fusca, 98
Coccus viridis, 53
Corixa panzeri, punctata, 125
Cymatia bonsdorffi, 125
Drosicha sp. nr. littorea, 53
Drymus sylvaticus, 110
Eremocoris podagricus, 110
Gerris costai, lacustris, lateralis,
odontogaster, thoracicus, 125
Glaenocorixa propinqua, 126
Halobates, 132
Hesperocorixa castanea, linnei, sahlbergi,
125
Heterogaster urticae, 110
Icerya aegyptiaca, seychellarum, 53
Kleidocerys resedae, 110
lac insects, 64
Laminicoccus pandani, 53
Macroplax preysleri, 8
Microvelia reticulata, 126
Nepa cinerea, 125
Notonecta glauca, 125
Odius sp., 66
Parasaissetia nigra, 53
Parlatoria proteus, 53
Peggichisme, 98
Peritrechus geniculatus, 110
Phenacoccus solani, 87-8
Saissetia coffeae, 53
Scolopstethus decoratus, 110
Sigara concinna, distincta, dorsalis, falleni,
fossarum, lateralis, nigrolineata, scotti,
semistriata, venusta, 125-6
Stygnocoris fuliginus, 110
Udinia catori, 64
Velia caprai, saulii, 125

HYMENOPTERA

- Aclista, 207
Aculeata, 84
Ancistrocerus gazellus, 166; parietinus, 96
Andrena bicolor, 96; flavipes, lapponica,
marginata, sp., 8
Andricus quercuscalicis, 86
Aphanogmus, 161
Archibracon, 217, 219, 221; striolatus, 219
Atanycolus, 224
Bracon charaxus, combustus, pallidifrons,
pallifrons, rugifrons, 215-6
Chalybion bengalense, madescassum,
tibiale, 25-6
Chrysididae, 252

- Colastes braconius, incertus, laticarpus,
pubicornis, 109
Colletes floralis, 98
Conomorium patulum, 161
Crossocerus carbonarius, 205; cetratus, 54;
leucostoma, megacephalus, 205
Diglyphus minoeus, 157
Diphora westwoodi, 209
Dorylus (Anomma) nigricans, 81
Epeolus variegatus, 98
Eulophotetrastichus, 160
Euurobracon, 218-9; rufus, 223
Exobracon rufus, 223
Exothecus, 109
Formica sp., 41-2
Formicidae, 81
Fraterarchibracon, rubricorpus, rufus,
220-3
Gammabracon rugifrons, 215
Gronaulax pallifrons, 215
honeybees, 156, vii
Hymenoptera, 44
Iphiaulax combustus, inanitus,
kuchingensis, 216; rufus, 223
Ipobracon filicaudis, inanitus, 216-7
Laelius ? anthrenivorus, 161
Laesthia litigiosa, 161
Lopodites, 159
Lopodytes asphondyliae, prunicola, 160
Lopodytiscus, 160
Meraporus crassicornis, graminicola, 161-2
Merinotus caudatus, combustus,
rufithorax, rugifrons, 215
Myrmica rubra, ruginodis, scabrinodis, 108
Nematus viridescens, 237
Nomada argentata, 8
Odontoscopus, 224
Osmia leaiana, 96
Panbelista longiscapa, 207-9
Pantoclis leviventris, longiscapa, 207
Passaloecus insignis, 96
Pemphredon morio, 54
Perilampus, 161
Philanthus triangulum, 148
Pnigalio agraulis, 161; soemius, 157
Pristophora asperlatus, hyperborea,
staudingeri, 96
Psenulus pallipes, 96
Pseudobracon striolatus, 218-9
Rhopalum clavipes, 96; coarctum, 54
Rostraulax charaxus, combustus,
kuchingensis, 215-6
Sceliphron violaceum, 25
*Schimitschekia *populi, 157
Shelfordia, 215; combusta, 216
Sigalphogastra combustus, kuchingensis,
216; pallidifrons, rugifrons, 215
Sigmophora, 160; brevicornis, italica, otys,
161; scrophulariella, 160
Sobrinarchibracon, 223-6; **nigroflagellaris**,
224-6
Sororarchibracon striolatus, 217-20
Spartophilus orchestica, 161
Stigmus solskyi, 54

Sylvíbracon caudatus, *filicaudatus*
[*filicaudis*], *rufithorax*, 216
Tenthredo amoena, 54
Tetrastichus, 159, 161; *brevicornis*, 160;
 halidayi, 234
Tineophaga tischeriae, 161
Torymus sp. (not *glechomae*) 161
Trichopria, 207
Trypoxylon clavicernum, 96
Vespa crabro, 146-7, 189-98; c. ssp.
 flavofasciata, *simillima*, 193
Vespula austriaca, 147; *germanica*, 147-8,
 194; *rufa*, 148; *vulgaris*, 145-8, 194
Xiphidria prolongata, 54
Zanzopsis inanitus, 216

LEPIDOPTERA

Agrodiaetus (s.g.) 256
Anthocharis belia belia, 255
Aporia crataegi, 255
Aricia agestis cramera, 255
Artogeia (s.g.), 255
Berberia abdelkader abdelkader, 256
Boloria graeca tendensis, vii
Callophrys rubi, 255
Carcharodus alceae, 255
Celastrina argiolus, 255
Chloroclystis, 188
Cigaritis allardi, *zohra*, 255
Coenonympha pamphilus, *vaucheri*
 annoceuri, v. *vaucheri*, 254, 256
Colias crocea, 255
Colotois evagore nouna, 255
Cupido lorquini, 255
 'cutworms', 212
Cyaniris semiargus, 253, 255
Dasychiridae, 98
Drepanidae, 188
Elphinstonia charlonia charlonia, 255
Erebia aethiopella, vii
Euchloe belemia belemia, *simplonia*
 simplonia, 255
Euphydryas desfontainii desfontainii, 256
Eupithecia goossensata, 188
Friesia, 171
Geometridae, 188
Glaucopsyche melanops algerica, 255
Glyphipterix, 98
Gonepteryx cleopatra cleopatra, *ramni*,
 255
 hawkmoths, 142
Heodes alciphron heracleanus, 255
Hipparchia aristaeus algerica, 256
Hydriomena impluviata, *ruberata*, 188
Iphiclides podalarius feisthamelii, 255
Issoria lathonia, 256
Lampides boeticus, 255
Lasiommata megera megera, 256
Lepidoptera, 44
Lycaena phlaeas phlaeas, 255

Lymantriidae, 98
Lysandra (s.g.), 256
Maniola jurtina hispulla, 256
Melanargia galathea lucasi, *ines*, 256
Melitaea aetherie algerica, *cinxia atlantis*,
 didyma occidentalis, *phoebe punica*,
 254-6
Nordmannia esculi maruetanica, 255
Nymphalis polychloros erythromelas, 256
Orgyiidae, 98
Pandoriana pandora, 256
Papilio alexanor, vii; *machaon*, 255
Pararge aegeria, 253, 256
Parnassius phoebus gazeli, vii
Pieris brassicae, *napi segonzaci*, *rapae*,
 254-5
Plebejus martini martini, 255
Polymnatus amanda abdelaziz, *icarus*,
 punctifera, *thersites*, 256
Polygonia c-album, 256
Pontia daplidice, 255
Pseudophilotes abencerragus, 255
Pyrilidae, 212
Pyrgus alveus numidus, *onopordi*, 255
Pyronia bathseba bathseba, 256
Satyrus ferula atlanteus, 256
Scolitantides bavius fatma, 254-5
Sesia andrenaeformis, 98
Spialia sertorius ali, 255
Syntaracus pirithous, 255
Theria, 188
Thyatiridae, 188
Thymelicus lineola semicolon, *sylvestris*,
 255
Tineidae, 212
Tomares ballus, 255
Vanessa atalanta, *cardui*, 256
Zegris eupheme meridionalis, 255
Zerynthia rumina africana, 255
Zygaena vesubiana, vii

MANTODEA

Coptopteryx argentina, 3
Hierodula bipapilla, 3
Mantis argentina, (*Stagmatoptera*)
 carolina, *religiosa* ? subsp. *polonica*,
 religiosa religiosa, *superstitiosa*, 1-7
Paratenodera sinensis, 3
Stagmomantis carolina, 2, 3
Tenodera aridifolia sinensis, 3; *superstitiosa*
 superstitiosa, 7

NEUROPTERA

Chrysopa perla, 162

ODONATA

- Aeshna caerulea*, juncea, 28, 30-3; mixta, 124
Anax parthenope, 62
Boyeria irene, 123-4
Cordulegaster boltonii, 28, 30-1, 131
Crocothemis erythraea, servilia, 62
Enallagma cyathigerum, 28, 30-1
Gynacantha spp., 123
Hemianax ephippiger, 62
Ischnura elegans, 28, 30-2; evansi, 62
Lestes sponsa, 28, 30-1
Libellula quadrimaculata, 28, 30-1
Lindenia tetraphylla, 62
Onychogomphus forcipatus unguiculatus, 127-32
Orthetrum sabina, taeniolatum, 62
Pyrrhosoma nymphula, 28, 30-1
Selysiothemis nigra, 62
Somatochlora arctica, 28
Sympetrum danae, nigrescens, 28, 30-2
Trithemis annulata, arteriosa, 62

ORTHOPTERA

- Acanthogryllus fortipes*, 81
Amphiprosopia adjuncta, 201
Blatella lobiventris, 81
Callogryllus sp., 81
Chrotogonus senegalensis, 201
cockroaches, 81-2
crickets, 82
Euloboptera sp. (? shelfordi), 81
Gryllus bimaculatus, 81
Pyrgomorpha vigneaudii, 201
Orthoptera, 44
Scintharista lithophila, 204
Trilophidia conturbata, **parvula**, repleta, 199-201
Truxalis, 204
Truxaloides braziliensis, **chekei**, coeruleipennis, 201-4

PHASMODEA

- Anisomorpha buprestoides*, 232
Eurycantha calcarata, 227-34; insularis, horrida, 227; latro, 231
Extatosoma tiaratum, 232
Onchophasma martini, 233

PLECOPTERA

- Brachyptera putata*, 88
Chloroperla tripunctata, 237

SIPHONAPTERA

- Acropsylla traubi*, 59-60
Neopsylla marleanae, 60
Nosopsyllus simla, 60
Palaeopsylla helenae, tauberi, 60
Stenischia lewisi, 60
Stivalius aporus, ferinus, 60
Tunga sp., 238
Xenopsylla astia, 60

TRICHOPTERA

- Ceraclea senilis*, 166

GROUPS OTHER THAN INSECTS
AND ARACHNIDA

- Aves, 3, 6, 81
Amphibia, 2, 3
Isopoda, 38
Mammalia, 3, 6-7, 59-60
Mollusca, 6, 33, 150
Myriapoda, 257-9
Nematoda, 55
Reptilia, 3-4, 34

ERRATA AND CORRIGENDA

Page	Line	For	Read
50	3	<i>Moliphilus</i>	<i>Molophilus</i>
69	8 up	by	be
82	15	ent.	end.
86	5 up	<i>quercuscalis</i>	<i>quercuscalicis</i>
128	6	Figs	Fig.
xii	10 & 12 up	Quicke, D.H.L.	Quicke, D.L.J.

